PSI Surgery Center, LLC.

9985 Dayton Lebanon Pike Centerville, Ohio 45458 (937) 886-2980

GENERAL DISCHARGE INSTRUCTIONS

- 1. The medication or sedation given to you will be acting in your body for the next 24 hours because of this you may experience sleepiness, dizziness, and/or some light headedness. These feelings will wear off slowly. Therefore you should not: stay alone, drive a car, operate machinery, power tools, drink alcohol, make important decisions or sign legal documents.
- **2.** Eat a light diet following surgery. Avoid spicy or gaseous foods. If you experience any nausea fluids that are clear and high in sugar are recommended. (Gatorade, soda, Kool-aid, nonacid juices).
- **3.** Be sure to get plenty of rest to allow your body to recuperate faster. However, you need to get up and walk around your house at least every 2 hours during the day to prevent blood clots.

N.	Æ	DΙ	CA	T	\cap	NS	١.
IJ	\mathbf{T}	IJ	\mathcal{L}		.,	147	٠.

THE DIGITION OF				
VICODIN (Hydrocodone & Acetaminophen) 5mg:	Take one tablet every 6 hours as needed for pain.			
PERCOCET (Oxycodone & Acetaminophen) 5mg	ake one tablet every 6 as needed for pain. *			
ROBAXIN (Methocarbomal) Take one tablet 3 tim	es a day as needed for muscle spasms or rest.			
ZOFRAN (Ondansetron) Take one every 6 to 8 hou	ars as needed for nausea/vomiting.			
Continue antibiotic	today and one every 12 hours until gone			
Other:				

Resume all your regular medications today – **Avoid Aspirin and Ibuprofen products for 7 days.**

POST OP INSTRUCTIONS FOR LIPOSUCTION

- 1. Wear compression garment 24 hours a day for first month- (except when bathing or washing garment)
- 2. Expect a large volume of blood-tinged drainage from the small incisions during the first 24-48 hours following surgery. Some patients may have more drainage than others. Super absorbent pads may be changed as needed under the compression garment. However, leaks beyond the pads may occur- therefore you made need to protect your mattress or furniture from any unexpected leaks. Do not be concerned if you have drainage for several days.
- 3. You may shower after 24 hours. Wash over incisions gently with soap and water; afterwards gently pat incisions dry with a clean towel and then put on garment.
- 4. Do NOT soak in a bath, Jacuzzi, swimming pool, or pond/lake for at least 7 days after surgery in order to minimize the risk of infection.
- 5. Do NOT apply ice-packs or a heating pad to skin overlying the areas treated by liposuction.
- 6. Expect Bruising- the more extensive the liposuction surgery, the more bruising one can expect. Some patients have more of a tendency to bruise than others.
- 7. You may carefully increase your daily activity as tolerated. You may return to work in 1 week and resume aerobic exercise in 6 weeks.
- 8. If abdominal liposuction: Wear loose fitting or compression underwear to avoid creases in the abdominal or swelling in the pubic area.
- 9. You may drive after 1 week if you are NO longer taking pain medication or muscle relaxers.
- 10. If you have any problems after our office closes at 5pm or on the weekend please call **937-886-2980** to be connected to the emergency on call service.