YELLOW ZONE: GREEN ZONE: Continue current care plan Call health care provider at as instructed. your convenience (8am-430pm) 937-886-2980 -Some pain in surgical area. -Increase in pain, not controlled by pain -Able to maintain activity. medication, after 2 or more doses. -Appetite is good and able to keep food/liquids down. -Decrease in appetite with increase in nausea or -No chest pain, shortness of vomiting for longer than 6 breath or calf pain. hours. -Dressing dry with minimal -No bowel movement 3-4 drainage (depending on days after surgery. You can surgery type). start taking 30 mL of Milk of -Shower after 24 hours.

-Bruising is normal and expected. The color can vary

-Drainage is red, pink or

yellow.

blood tinged.

from blues, purple, green to

Magnesia or similar to help move bowels.

- -No urination within 8 hours of surgery.
- -A temperature over 101.
- -Increase in drainage or continued large amount two days after surgery and soaking through a maxi-pad.
- -Changes in amount of drainage-filling JP drain immediately after emptying or within an hour.
- -Changes in color of drainagevibrant fresh blood red, green, creamy white, or unpleasant foul odor.
- -Drain does not have any output within first 24 hours.

RED ZONE: Call health care provider asap, day or night. 937-886-2980

Call 911, or go to the nearest emergency room

-Calf tenderness, warm to touch and painful to walk.

- -Unable to keep medication, food or liquid down for longer than 8 hours.
- -One breast suddenly becomes very firm, swollen, warm to touch, or painful.
- -Sudden large volume of bleeding greater than the first 24 hours after surgery.

-Shortness of breath, chest pain, sudden feeling of doom or apprehension.